

Comparative analysis of the content of metals and ecotoxics in the hair of 7-year-old girls, living in different environmental conditions

Pavlova G., Gerasimov A.

Kazan Federal University, 420008, Kremlevskaya 18, Kazan, Russia

Abstract

The investigation and the comparative analysis of the content of metals (ecotoxics) in the hair of 7-year-old girls, attending the first grade of a comprehensive school, living in different environmental conditions, were carried out. In a modern industrial city with a developed petrochemical infrastructure, there are chemical substances in the air, which often exceed the maximum permissible concentration, and the prolonged exposure of toxic substances causes a change in the functional state of the developing organism. In the conditions of technogenic pollution of the environment, it is especially important to study the impact of metals and ecotoxics, having a toxic effect on the human body. The scale of growth of modern production is so large, that the amount of substances, emitted per unit of time, is much greater than the amount, which can be neutralized by the environment. Based on the numerous observations, it can be stated, that children are particularly sensitive to the impact of unfavorable environmental factors. Growing organism is characterized by the lowest threshold of perception to the influence of pollutants, high reactivity to external influences, and the degree of its adaptive capacity depends on the age, gender and a number of other individual characteristics. Such experimental direction has an applied significance and is of great scientific and practical interest, since it reflects the general state of the organism and the morphofunctional status of children of the age under study, living in different environmental conditions. On this basis, the study of the content of metals and ecotoxics in the hair of seven-year-old girls, attending the first grade of a comprehensive school, living in different environmental conditions, was carried out. The following methods were used in the study: biochemical, statistical and the method of directed selection of the contingent. In the process of the study it has been found, that environmental pollution is one of the causative factors of reducing the adaptive capacity of the body, and the peculiarities of hair chemical composition, in regards to the studied substances, are determined by the ecological conditions of living.

Keywords

Children, Ecological conditions, Ecotoxics, Metals

References

- [1] V. B. Antonov, "Anthropogenic environmental diseases, " in Clinical medicine, LXXI (1993), no. 3, p. 15-19

- [2] I. V. Chikeneva, "Consequences of the influence of heavy metals on the environment, in the impact zone of industrial enterprises, " in Concept, XII (2013), p. 1-8
- [3] V. O. Dorzhonova, Phytoextraction and phytotoxicity of heavy metals in contaminated soils. Extended abstract of Cand. Sciences (Biology) Dissertation, Ulan-Ude, 2013.
- [4] A. P. Avtsyn, A. A. Zhavoronkov, M. A. Rish, L. S. Strochkova,. Human microelementosis: etiology, classification, organopathology, Moscow, 1991
- [5] I. V. Mudriy, "The impact of chemical soil contamination on human health, " in Hygiene and Sanitation, IV (1991), p. 32-37
- [6] V. G. Nadeenko, S. P. Saichenko, Embryotoxic and mutagenic effect as a criterion for regulating metals in the environment. Actual problems of hygienic regulation of chemical factors in environmental objects,. Perm, 1989, p. 128-130
- [7] F. Perger, Belastungen durch toxische Schwer metalle - ihre Folgen fur die Abwehrlage des Menschen, Zurich, Arzte Fortbild., 1992, p. 157- 163
- [8] B. A. Revich, Pollution of the environment and public health. Introduction to ecological epidemiology, Moscow, International Independent Ecological and Political University, 2001
- [9] B. L. Vallee, "The metallobiochemistry of zinc and cadmium, " in Delft. Progr. Rept., XII (1988), no. 2, p. 131-147
- [10] R. P. Walt, T. K. Daneshmend, Y. N. Fellows, "Zinc deficiency in children with dyslexia: Concentrations of zinc and other minerals in sweat and hair, " in Brit. Med. J., CIVC (1988), no. 6622, p. 607-609.
- [11] Z. Yu., Bilibina, E. D. Tselykh, The connection of high content of toxic and potentially toxic elements in the hair with some indicators of the structural and functional status of adolescents in Amursk, Khabarovsk Krai. Materials of the scientific-practical conference "The phenomenon of crisis in the context of humanitarian knowledge". Khabarovsk, Publishing house of the Far Eastern State University of Humanities, 2009, p. 96-100
- [12] S. D. Caruthers, S. A. Wickline, G. M. Lanza (2007). "Nanotechnological application in medicine, " in J. Nanotech. Sci. Appl., I(2007), p. 17-32
- [13] Y. Gumbrowski, "Zur kinetik des kadmiums im menschlichen organismus, " in Z. ges. Hyg. Bd. ,XXXIV (1988), no. 1, p. 40-43
- [14] C. L. Keen, M. E. Gershwin "Zinc deficiency and immune function, " in Annu. Rev. Nutr., X (1990), p. 415-431
- [15] M. Wilhelm, I. Lombeck, F. K. Ohnesorge, "Biological Monitoring anhand von Hairanalysen im Rahmen einer Pilotstudie zur Versorgungs-bzw. Belastungs situation von Vorschulkindern mit essentiellen und toxischen spurenelementen, " in VDI - Ber., MCIX (2987), p. 51-67.
- [16] D. M. Dementieva, V. V. Smolnikova, M. S. Dementiev, "The influence of subthreshold concentrations of various substances in the soils and reservoirs of the Stavropol Territory on the incidence of child population, " in News of Samara Scientific Center of Russian Academy of Sciences, XIII (2011), no. 7, p. 1585-1588
- [17] A. B. Imethenov, C. Z. Dorzhiev, D. D. Maksarova, A. A. Manketova, "The impact of technogenic pollution of the Dzhidinsky tungsten-molybdenum plant on the health of Zakamensk children (Republic of Buryatia).Human Ecology, " in Bulletin of the Buryat State University, IV (2015), p. 229-236.
- [18] I. I. Romanova, (2001). Integrated assessment of the impact of anthropogenic pollution of the environment on the morphofunctional status of school-age children: Dissertation of Candidate of Biological Sciences, Kazan, 2001
- [19] O. V. Savchenko, "Clearance of the body from heavy metals, using enterosorbent, based on calcium alginate, " in Human Ecology, VIII (2014), p. 20-24.
- [20] F. F. Dautov, Study of public health in connection with the environmental factors, Kazan, 1990
- [21] E. P. Gora, "On the general patterns of adaptation of the child's body, " in Materials of the XI International Symposium "Ecological and Physiological Problems of Adaptation", Moscow, 2003, p. 137-138.
- [22] A. V. Skalniy, G. V. Yatsyk, N. D. Odinaeva, (2002). Microelementosis in children: prevalence and ways of correction: Practical guide for physicians, Moscow, 2002.